

Stock Market Structural Changes Discovering Helical Structure of Volatility Wave Fourier Image

Andrejs Puckovs¹, Andrejs Matvejevs², ^{1, 2}*Riga Technical University*

Abstract - This paper explores an alternative volatility estimation approach discovering the helical structure of Fourier coefficients of volatility wave. Volatility wave is calculated by using wavelet decomposition with consequent logarithmic variance indicator estimation for each decomposed part of the signal and subsequent volatility matrix transform in a specified way. Further, using discrete Fourier transform the Fourier image of obtained volatility wave is analyzed. The Fourier image coefficients of the transformed volatility indicator have a clear helical (spiral) structure that evolves in time. This brings a new understanding of volatility and its evolution process from signal theory (and wavelet theory) perspective. We have found some regularity in the volatility evolution process. The minimum total distance indicator between Fourier coefficients is proposed as a measure of such regularity. This indicator has a nature of volatility lower bound.

Keywords – Continuous wavelet transform, Fourier transform, helical (spiral) structure, minimum total distance, stock indices, time series, volatility, wavelet analysis.

I. INTRODUCTION

This paper continues the series of papers [2]–[5] devoted to the volatility analysis of financial time series – stock market data. The idea of this research is to discover new properties of financial time series using wavelet decomposition.

The main key stone of this research is a vector representation of functions; this idea is widely used in the Fourier transform, where a main function is represented as a sum of elementary functions. The same idea is used in a wavelet transform, where the compact defined function, shifted and scaled, is used as a mother wavelet function, and any signal can be represented as a sum of mother wavelet functions.

In the financial time series analysis, it is important not only to analyze the financial time series (as the signal or stochastic process), but also the volatility indicator (amount of variation or dispersion from the average). Volatility indicator is evolving in time and volatility forecast is very important in the financial time series analysis, since the price of derivative financial instruments is volatility dependent.

The main approaches used in the current paper are as follows:

1. The signal (financial time series) can be decomposed in parts or components by using wavelet filtration, and each component can be analyzed from a volatility perspective. The sum of volatility of all components is proportional to overall signal volatility.

2. The signal can be considered from a volatility perspective and evolving volatility can be considered a signal,

which can be decomposed in components by using wavelet filtration.

Volatility components, which are evolving in time, discover some specific properties of the signal, which cannot be discovered in an original signal without decomposition. Since wavelet decomposition uses the shifted and scaled mother wavelet function, it acts like a microscope, highlighting certain parts of the signal. These specific properties were described in [1]–[4] with the author term "North-East Volatility Wind Effect".

The main conclusion made in paper [2] is the following – a slight increase in volatility in the low-frequency components of the signal leads to significant disturbances in high-frequency components that destine the entire signal volatility growth. This effect is called "North-East Volatility Wind". This conclusion is important for risk management on the stock markets. "North-East Volatility Wind" Effect described in [2] brings out a deeper understanding of volatility evolution and an opportunity to illuminate most dramatically market drawdowns initially. This opportunity is explained by an ability to see very small changes in volatility (logarithmic variance) of the low-frequency components of the signal.

Further research of volatility evolution in components (volatility layers) and volatility transmission between layers is conducted in [3].

However, volatility in the perspective of scaling parameter can also be considered the signal (defined in a space of scaling parameter), which has a regular wave form. This signal is named volatility wave, which is the object of current research. Evolving volatility wave is represented by Fourier image by using discrete Fourier transform. Here and further the research algorithm is described.

II. RESEARCH ALGORITHM

Research algorithm consists of 4 (four) blocks: Data Loading & Preprocessing Block, Signal Decomposition Block, Volatility Analysis Block and Fourier Analysis Block. Research algorithm is described in Fig. 1. In the output of each block, output is illustrated in figures – by 2D and 3D plots. Number of each plot is related to the figure number in the current paper.

A. Data Loading and Preprocessing Block

Data Loading & Preprocessing Block uses the ticker (finance.yahoo.com data depositary ticker as id) and provides the analyzed signal X(t) in output. This block consists of 3 main parts: data loader operator, which downloads daily financial



Fig. 1. Research algorithm, block-scheme.

time series (for the whole available period) by a predefined ticker. This operator fits Log-operand, which calculates a natural logarithm of financial time series in order to remove the network effect in financial time series data. Log-operands fit Norm-operand, which is normalizing additions of signal to N(0,1) process, in other words, it is calculating additions to signal $\Delta X(t)$ and normalizing it to the process with zero mathematical expectation $\mu = 0$ and unit standard deviation $\sigma = 1$. Norm-operand provides output of Data Loading & Preprocessing Block, which is called analyzed signal X(t). The algorithm is described in Fig. 2.





Procedure of this block was described in [2]–[4]. Programming codes in Matlab language are shown in [5].

B. Signal Decomposition Block

Signal Decomposition Block is fitted by Data Loading & Preprocessing Block. Signal Decomposition Block is placed between Data Mining and Preprocessing Block and Signal Analysis Block.



Fig. 3. Signal Decomposition Block.

The block consists of two parts: Direct Continuous Wavelet Transform (Direct CWT) and Inverse Continuous Wavelet Transform (Inverse CWT) operands. Direct CWT operand provides Wavelet image W(a,b) of the analyzed signal X(t). Inverse CWT operand loads Wavelet image W(a,b) for each scaling parameter a and transforms it back to a part of analyzed signal X(a,t). Inverse CWT operand operates in loops $(\forall a)$ (for each scaling parameter a), as a result by using Direct CWT and Inverse CWT operands analyzed signal X(t) is decomposed to X(a,t) [2]. Signal decomposition by using wavelet transform keeps the following idea: the number of signal components only depends on scaling parameter a and by summing all components of decomposed signal original (analyzed) X(t) signal can be reconstructed. Decomposition of analyzed signal X(t) to X(a,t) serves for the subsequent volatility analysis, which has been done for X(a,t). Subsequent volatility analysis is performed for the decomposed signal, which describes volatility evolution since and of volatility transmission. Exploration of Signal Decomposition Block was described in [2]–[4]. Programming codes in Matlab language are shown in [5].

C. Volatility Analysis Block

Volatility Analysis Block is fed by Signal Decomposition Block output – decomposed signal X(a,t). Volatility Analysis Block run in loop for each scaling parameter a. By selecting decomposed signal X(a,t) for defined a the block by using a window function selects 25-trading-day interval τ in time space t (in other words from X(a,t) for certain a it selects $t \in [1:25]$) and calculates logarithmic variance $\ln(D(X(a,\tau)))$ (or volatility indicator $V1(a,\tau)$) [2].

After this window function is shifted in time till the last τ and the procedure is repeated for each *a* scaling parameter $\forall a$.

Volatility indicator V1 is stored in memory and further shown in a 3D plot (in Fig. 8), as well as it is used for modified volatility indicator calculation.



Fig. 4. Volatility Analysis Block.

Modified volatility indicator calculation is based on volatility indicator V1 data and starts from running τ index (from one to last τ). For certain τ volatility indicator $V1(a,\tau)$ is selected along *a* horizon $V1(;,\tau)$ (or in other words $V1(\alpha,\tau), \alpha \in [a_{\min}, a_{\max}]$). Here and further $V1(\alpha,\tau)$ is abbreviated as V1 volatility wave. After this, specific transformation with $V1(\alpha,\tau)$ is done in accordance with equation (1). After this the procedure is repeated by changing $\tau \leftarrow \tau + 1$ to the last τ .

$$V2(\alpha, \tau) = \exp(-2\ln(V - b + 1)),$$

$$V = V1(\alpha, \tau), \alpha \in [a_{\min}, a_{\max}], b = \min(V).$$
(1)

Illustration of this transformation is done in Fig. 9. This modified volatility indicator V2 by its nature illuminates local maxima lines of V1.

Schematic illustration of Volatility Analysis Block is performed in Fig. 4. This block in the output provides V1 and V2 volatility indicators, which are illustrated in 3D plots in Fig. 9. Modified volatility indicator V2 is used for the subsequent analysis in Fourier Analysis Block.

Detailed exploration of volatility indicator V1 calculation can be found in [2]–[3]. Programing code in Matlab environment is provided in [5]. Transformation from V1 to V2 is described in [6].

D. Fourier Analysis Block

Fourier Analysis Block uses modified volatility indicator V2 as input and provides several outputs: Fourier image of volatility wave $U(\beta, \tau)$, Fourier image of volatility wave growth $dU(\beta, \tau)$, regularity indicators $L1(\tau)$ (calculated from $U(\beta, \tau)$) and $L2(\tau)$ (calculated from $dU(\beta, \tau)$). Regularity indicators $L1(\tau)$ and $L2(\tau)$ are a measure of minimum total distance between all Fourier image coefficients. Here and further a detailed explanation is provided.

Fourier Analysis Block uses modified volatility indicator V2 as input. It runs a running index τ and for certain τ selects volatility wave V2(:, τ) or V2(α , τ), $\alpha \in [a_{\min}, a_{\max}]$. This volatility wave is transformed from time to frequency domain by using discrete Fourier transform algorithm, described in (2).

$$U(\beta,\tau) = \left\langle V2(\alpha,\tau), e^{j\beta\alpha} \right\rangle^{.}$$
⁽²⁾

As a result, Fourier image of volatility wave $U(\beta, \tau)$ (where β is a period). Fourier analysis is repeated for each τ . The same procedure is done for volatility wave growth dV2. The dV2 indicator is calculated by (3).

$$dV2(\alpha,\tau) = V2(\alpha,\tau) - V2(\alpha,\tau-1).$$
⁽³⁾

Volatility wave growth representation in frequency domain is done by a fast Fourier transform, as a result Fourier image of volatility wave growth $dU(\beta, \tau)$ is calculated in the block.

Fourier images $U(\beta, \tau)$ and $dU(\beta, \tau)$ have specific properties – Fourier image coefficients demonstrate a clear regular helical (spiral) structure. Fourier images of volatility waves calculated for stock indices are shown in Figs. 10–11.

Analogical results for Fourier analysis of volatility evolution waves for DJIA (The Dow Jones Industrial Index) are shown in papers [6]–[7].

Authors propose Fourier image regularity indicators $Ll(\tau)$ and $L2(\tau)$ defined on time space τ according equation (4):

$$L1(\tau) = -\sum_{\forall \beta} |U(\beta, \tau) - U(\beta - 1, \tau)|$$

$$L2(\tau) = -\sum_{\forall \beta} |dU(\beta, \tau) - dU(\beta - 1, \tau)|$$
(4)

The block-scheme of Fourier Analysis Block is shown in Fig. 5.



Fig. 5. Fourier Analysis Block.

According to the block-scheme in Fig. 5, the block runs in for loops with running index τ and calculates $U(\beta,\tau), dU(\beta,\tau) U(\beta,\tau), dU(\beta,\tau)$ Fourier images and from them $L1(\tau)$ and $L2(\tau)$ regularity indicators. As a result, the block provides output with L1, L2 which are loaded to 2D plots.

By running for loops with running index τ , U,dU Fourier images are loaded to scatter 3D plots and the result image is added to movie, stored in a hard drive. Detailed illustrations of movie making and plotting are shown in Fig. 1.

III. FINANCIAL TIME SERIES ANALYSIS

Here and further, for the subsequent research the Dow Jones Industrial Index financial time series data of the period (1993 – nowadays) are selected.

By feeding Data Loading & Preprocessing Block with ticker (^DJI), the block provides in output the signal shown in Fig. 6.

In the Signal Decomposition Block, the analyzed signal is decomposed in parts by using wavelet filtration – Direct CWT and Inverse CWT. The output is provided from various viewpoints in Fig. 7.

Decomposed signal is used as input for Volatility Analysis Block, which provides a picture of volatility evolution shown in Fig. 8.



Fig. 6. Analyzed signal of the 2Dow Jones industrial average (above – the signal, below – signal growth).



Fig. 7. Decomposed signal of the Dow Jones industrial average.



Fig. 8. Volatility analysis of the Dow Jones industrial average.

For the subsequent analysis, the modified volatility data V2 are used. The difference between Volatility V1 and Modified volatility V2 is shown in Fig. 9. Modified Volatility V2 illuminates local maxima lines.



Fig. 9. Volatility (top) and modified volatility (bottom) indicators.

For the subsequent analysis, the modified volatility data V2 fits Fourier Analysis Block, which analyzes volatility waves in a frequency domain. Fourier images of volatility wave $U(\beta, \tau)$ are shown in Fig. 10 (a-c).



Fig. 10. a-c) Fourier image of volatility wave in time $\tau = \{5, 10, 25\}$.

Fourier images of volatility wave growth $dU(\beta, \tau)$ are shown in Fig. 11 (a-f).







Fourier image of Volatility Wave at tau =10







Fourier image of Volatility Wave at tau =50



Fourier image of Volatility Wave at tau =30



Fig. 11. a-f) Fourier image of volatility wave growth in time $\tau = \{10, 15, 25, 30, 30, 155\}.$

Evolving in time τ Fourier images of both $U(\beta, \tau), dU(\beta, \tau)$ are saved together with a volatility indicator in the prepared movie. According to Figs. 10–11, the Fourier images $U(\beta, \tau), dU(\beta, \tau)$ show a clear helical (spiral) structure.

Fourier images $U(\beta, \tau), dU(\beta, \tau)$ evolve in time τ and show some degree of regularity at each τ . The measure of regularity described by indicators L1, L2 measuring minimum total distance of scatter plot points is shown in Fig. 12. Indicators L1, L2 are shown together with overall volatility.



Fig. 12. a) L1 and L2 indicators, overall volatility indicator.

As it is shown in a plot, regularity indicators L1, L2 approximate a volatility trend. In order to check this, by using wavelet filtration (discrete wavelet transform decomposition till the 10th level with Dobeshi wavelet "db7") high frequency components of volatility indicator were removed. The result is shown in Fig. 12.



Fig. 12. b) L1 and L2 indicators, LF components of overall volatility indicator.

Regularity indicators L1, L2 have high correlation with volatility indicator low frequency components. The Pearson correlation results are shown in Table I.

 TABLE I

 Pearson Cross-correlation Matrix

| | Volatility indicator | L1 indicator | L2 indicator |
|----------------------|----------------------|--------------|--------------|
| Volatility indicator | 1 | 0.7443 | 0.7145 |
| L1 indicator | 0.7443 | 1 | 0.9665 |
| L2 indicator | 0.7145 | 0.9665 | 1 |

In order to bring clearness to the analyzed process – the process of wavelet filtration, evolving volatility measure and Fourier analysis of the so-called volatility wave – the process and output of this process are to be described next.

IV. RESEARCH RESULTS AND DISCUSSION

Suppose that each investor reacts to the events happened on financial markets by making their individual decisions taking into account their own investment horizon. Moreover, this decision is based on filtering the time series of stock prices.

If the situation is stable in the market, individual investors will not change their open positions rapidly, otherwise market instability and price volatility should rise. By itself volatility is a measure of strikes between individual investors. More strikes, more jagged the index is.

Understanding of the so-called volatility wave starts with understanding of interrelations between various investment horizon investors. Local maxima of volatility wave dedicate an investment horizon, where the strike between investors is more noticeable.

Understanding of Fourier image of volatility wave is similar. Maximum magnitude Fourier harmonics should indicate frequency (which is inverse to an investment horizon), which responds to volatility wave local maxima. The second important understanding of Fourier image of volatility wave is illumination of structure. As it is shown in Fig. 10 and Fig. 11, markets definitely have a structure, since various investment horizon investors should interrelate to each other. This structure is evolving in time, can take different forms. Increase of regularity or emanation of certain harmonics normally means running a volatility wave, which results in the market crisis. This statement becomes clear, understanding L1, L2 measures, while the total distance between all Fourier coefficients turns to minimum, a volatility indicator trend (low frequency component) rises.

Discovering the structure of volatility wave Fourier image is very important, currently the minimum total distance L1, L2 indicators need modification to describe different regularity structures.

REFERENCES

- C. Chatfield, *The Analysis of Time Series*, NY: Champan&HALL/CRC, 2006, 329 pp. 255–268.
- [2] A. Pučkovs, A. Matvejevs, "Northeast Volatility Wind," *Effect. Aplimat Journal*, 2014, vol. 6, pp. 324–339. ISSN 1337-6365.
- [3] A. Pučkovs, "Stock Indexes Volatility Evolution Research in Volatility Layers" *Zhurnal nauchnykh publikatsiy aspirantov i doktorantov*, 2014, no. 5(95) Mai 2014, pp. 32–37. ISSN 1991-3087.
- [4] A. Pučkovs, "Stochastic Process, Based on North-East Volatility Wind Effect," *Zhurnal nauchnykh publikatsiy aspirantov i doktorantov*, 2014, no. 5(95) Mai 2014, pp. 220–226. ISSN 1991-3087.
- [5] A. Pučkovs, "Computational Aspects of North-East Volatility Wind Effect." Zhurnal nauchnykh publikatsiy aspirantov i doktorantov, 2014, no. 5(95) Mai 2014, pp. 261–274. ISSN 1991-3087.
- [6] A. Pučkovs, "North-East Volatility Wind Effect in Traveling Wave Perspective. Helical Structure of Volatility wave Fourier Coefficients," *Zhurnal nauchnykh publikatsiy aspirantov i doktorantov*, 2014, July, pp. 5–5. ISSN 1991-3087.
- [7] A. Pučkovs, "Alternative Financial Timeseries Risk Indicator Estimation by using North-East Volatility Wind Effect" *Zhurnal nauchnykh publikatsiy aspirantov i doktorantov*, 2014, July, pp. 10–10. ISSN 1991-3087.
- [8] V.M. Gadre, Lecture Series in Multirate Digital Signal Processing and Multiresolution Analysis. Bombay: IIT Bombay [Online] Available: http://www.youtube.com/watch?v=iNgV2NEyLhQ [Accessed 15 Oct. 2013].
- [9] T.K. Basu, Lecture Series on Digital Signal Processing. Kharagpur: IIT Kharagpur [Online] Available:

http://www.youtube.com/watch?v=8zbBJkw5KsM.

- [10] Yahoo. Dow Jones Industrial index data. [Online]. Available: http://finance.yahoo.com/q/hp?s=%5EDJI+Historical+Prices [Accessed: Oct. 1, 2013].
- Kronover, Fraktaly i khaos v dinamicheskikh sistemakh. Osnovy. teorii. M: Postmarket, 2000. p. 352.
- [12] A. N. Shiryayev. Osnovy stokhasticheskoy finansovoy matematiki. M; Fazis, 1998. p. 983.
- [13] A. N. Yakovlev, Vvedeniye v veyvlet preobrazovaniye. Novosibirsk: MINOBR Novosibirskiy GTU, 2003, p. 102.
- [14] A. V. Novopashina, V. A. Sankov, V. Y. U. Buddo, Prostranstvennovremennoy analiz seysmicheskikh struktur baykalskoy riftovoy sistemy. Irkutsk: Institut zemnoy kory SO RAN, 2011, pp. 55–64.

Andrejs Puckovs was born in Riga in 1985. He graduated from Riga Technical University (Latvia), where he received his Bachelor Degree in Management in 2007. He has the Qualification of Economist and the Professional Master degree in Economics (Financial Analysis). Andrejs Puckovs is currently completing his research for the Doctoral degree at Riga Technical University in the field of Mathematical Statistics and Its Applications. From 2008 to 2010 he worked as a Fund Administrator in Custody and Correspondent Banking Department, JSC Swedbank. E-mail: andrejs.puckovs@rtu.lv.

Andrejs Matvejevs is the Doctor of Technical Sciences in Information Systems. Until 2009 he was a Chief Actuary at the insurance company "BALVA". For more than 25 years he has taught at Riga Technical University and Riga International College of Business Administration, Latvia. His previous research was devoted to solving of dynamical systems with random perturbation. His current professional research interests include applications of Markov chains to actuarial technologies: mathematics of finance and security portfolio. He is the author of about 40 scientific publications, two textbooks and numerous conference papers. E-mail: andrejs.matvejevs@rtu.lv.

Andrejs Pučkovs, Andrejs Matvejevs. Akciju tirgu struktūras izmaiņu atklāšana, izpētot volatilitātes viļņu Furjē attēla spirālveida struktūru

Šajā rakstā tiek aplūkoti alternatīvie volatilitātes rādītāji, kas balstīti uz volatilitātes viļņa Furje attēla spirālveida regularitātes mērījumiem. Volatilitātes vilņis tiek iegūts ar veivlet filtrāciju (ar tiešo un apgriezto nepārtraukto viļņu pārveidojumiem), veicot analizējamā signāla (finanšu laikrindu) dekompozīciju ar turpmāko volatilitātes (jeb logaritmiskās dispersijas) pētījumu katrā signālu komponentē. Turpmāk volatilitātes rādītājis tiek pārveidots noteiktā veidā, tā kā ir aprakstīts šai rakstā. Šī pārveidojuma jēdziens ir volatilitātes indikatora mērogošana un lokālo maksimumu izšķiršana. Modificēts volatilitātes rādītājs tiek analizēts mērogošanas parametra griezumā keitrā laika momentā "tau". Modificēts volatilitātes rādītājs mērogošanas parametra griezumā veido viļņveida formu, dēvētu par volatilitātes vilni. Ar Furjē analīzi volatilitātes vilnis tiek pārveidots Furjē attēlā. Rezultātā reālās un imaginārās Furjē attēla daļas veido regulārās formas spirālveida struktūru. Furjē attēla regularitāte tiek noteikta ar L1 un L2 rādītājie. Šis raksta atklāj jaunu skatu uz volatilitāties viļņa fattēla koeficientiem. L1 un L2 rādītāji pēc savas dabas ir alternatīvi volatilitātes rādītāji. Šis raksta atklāj jaunu skatu uz volatilitāti un to evolūciju Furjē attēla koeficientu spirālveida struktūras griezumā. Šī pieeja ļauj prognozēt jaunas finanšu krīzes rašanos.

Андрей Пучков, Андрей Матвеев. Выявление структурных изменений фондовых рынков, исследующих спиралевидную структуру Фурье образа волн волатильности

В данной статье рассматриваются альтернативные оценки волатильности, основанные на оценке регулярности спиралевидной структуры Фурье образа волн волатильности. Волна волатильности, получаемая с помощью вейвлет-декомпозиции (Прямого Непрерывного вейвлет-преобразования), посредством декомпозиции анализируемого сигнала (финансового временного ряда) с последующим вычислением показателя волатильности (логарифмической дисперсии) для каждого компонента сигнала. Далее показатель волатильности преобразувания и выделении линий локальных максимумов для показателя волатильности. В результате преобразования получаем модифицированный показатель волатильности выявляется в волатильности. Модифицированный показатель волатильности ваятель волатильности. Модифицированный показатель волатильности выявляется в разрезе показателя масштаба для каждого временного преобразувания оказатель волатильности в результате преобразувания получаем модифицированный показатель волатильности ваятель волатильности выявляется в разрезе показателя масштаба для каждого временного показателя чализируется в разрезе показателя масштаба для каждого временного показателя с показателя волатильности возволятильности. В результате преобразувания получаем модифицированный показатель волатильности выявляется Фурье образ волны волатильности. В результате преобразует в оказателя масштаба образует волнообразную форму, названную волной волатильности. Посредством Фурье анализа волны волатильности выявляется Фурье образ волны волатильности. В результате минимые и действительные части коэффициентов Фурье образует четкую спиралевидную структуру регулярной формы. Регулярности или структури реулярность или структури формы. Регулярность или структури формы волатильности . Показателей L1, L2, рассчитываемых как минимальное расстояние между всеми коэффициентами Фурье образа волны волатильности L1, L2 являются альтернативными показателями волатильности. Данная статья откры водение волатильности и её эволюции с точки зрения спиралевидной структуры коэффициентов Фурье образа