



ESOC 2019

21st European Symposium on Organic Chemistry

Vienna / Austria

July 14-18, 2019



Poster Abstracts



TECHNISCHE
UNIVERSITÄT
WIEN



universität
wien

**ESOC
2019**



July 14th – 18th, 2019

Poster Abstracts Book

<http://esoc2019.conf.tuwien.ac.at/>


SYNTHESIS OF AMORPHOUS FLUORESCENT PURINE HYBRIDS CONTAINING FIVE-MEMBERED HETEROCYCLES

Zigfrīds Kapilinskis, Irina Novosjolova, Kaspars Traskovskis, Māris Turks

Faculty of Materials Science and Applied Chemistry, Riga Technical University,
LV – 1048, Latvia

Based on the results of previously published fluorescent triazolympurine nucleosides [1, 2], the synthesis of 6-triazolympurine derivatives and other heterocyclic purine derivatives with amorphous groups at N(9) has been developed. Piperidinyl as electron donating group and various heteroatom containing substituents as electron accepting groups were introduced in purine structure at C(6) or C(8) position [3].

Combination of S_NAr , CuAAC and Suzuki-Miyaura reactions produced the expected products that were studied for their photophysical properties. Fluorescence quantum yields reached up to 89% in the solution and 55% in the thin layer film.



Acknowledgements: This work was supported by grant for doctoral studies Nr. 34-14000-DOK.MLĶF/18. Dr. A. Vembris is acknowledged for the photophysical measurements and calculations.

[1] Kovaļovs, A.; Novosjolova, I.; Bizdēna, Ē.; Bižāne, I.; Skardziute, L.; Kazlauskas, K.; Jursenas, S.; Turks, M. *Tetrahedron Lett.* **2013**, 54, 850.

[2] Šišūļins A, Bucevičius J, Tseng YT, et al. *Beilstein J. Org. Chem.* **2019**, 15, 474–489.

[3] Kapilinskis, Z.; Novosjolova, I.; Turks, M. *Molbank* **2018**, M1024.